



Urine Drug Testing

Anuj Aggarwal, MD

Clinical Assistant Professor, Dept of Anesthesiology, Perioperative and Pain Medicine
Associate Program Director, Pain Medicine
Director, Pharmacological Treatment of Disease

Tuesday, September 14, 2021 7-8:30 pm ET





Outline

- 1) Importance of being able to interpret UDT
- 2) Types of test screen vs confirmatory
- 3) How to interpret tests







We Don't Know What We Don't Know

Few studies looking at physician knowledge of UDT, but the data that is available is not very encouraging


UDT is widespread in American society

A large number of Americans 12 and older reported illicit drug use in the past month.













Methods of drug testing are varied, but urine drug screens are the most widely utilized.

Screening

- Enzyme Multiplied
 Immunoassay Technique
- Enzyme-linked Immunosorbent Assay (ELISA)
- Fluorescence Polarization Immunoassay

Confirmatory

- Gas Chromatography/Mass Spectrometry (GC-MS)
- Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)







DRUGS OF ABUSE SCN		
Amphetamine	Negative	
Barbiturates	Negative	
Benzodiazepines	Positive	!
COCAINE METABOLITES	Negative	
Methadone	Negative	
Opiates	Positive	1
Oxycodone	Negative	
PCP	Negative	
THC	Negative	
Tricyclics	Negative	
DOACOM Comments		

- Most commercial tests are calibrated with morphine
- Fentanyl and methadone have distinct chemical structures
- And is your test positive because of heroin?

Derivation	Opioid
From opium	Codeine, morphine, opium, thebaine
Semisynthetic	Buprenorphine, dihydrocodeine,
	heroin, hydrocodone,
	hydromorphone, levorphanol,
	oxycodone, oxymorphone
Synthetic	Fentanyl, meperidine, methadone,
	tramadol





Urine Integrity

- Appearance
- Urine Temperature
- pH
- Specific Gravity
- Creatine
- Factors to consider: medications, diet, hydration status





SYNTHETIC URINE DETOXIFYING AGENT

SYNTHETIC URINE



QUICK FIX PLUS 3 OUNCE \$45.00



QUICK FIX SYNTHETIC URINE OUNCE \$35.00



\$10.00

TO CART

Source: quickfixsynthetic.com

ADD TO CART	ADD TO	CART	ADD 1

Commercial Adulterant	Chemical Ingredient
Instant Clean ADD-it-ive [®] (T) ⁵²	Glutaraldehyde
Klear [®] (LS, T) ^{52,54,59} Stealth [®] (T) ^{52,54}	Potassium Nitrite Mixture of hydrogen peroxide
. ,	& peroxidase
Urin Aid [®] (T) ⁵²	Glutaraldehyde
Urine Luck [®] (LS, T) 52,54,60 Whizzies [®] (T) 52	Pyridinum chlorochromate (PCC) Potassium Nitrite

Source: PMID: 21507878

Abbreviations: CR, case report; LS, laboratory study; T, tertiary source.





Adulterant	False-Negative Drug Immunoassays
Chlorine bleach (LS, T) ^{4,52,53}	Amphetamine, barbiturates, cannabinoids, cocaine, opiates
Caustic household cleaners (Drano®)(LS, T) ^{4,52,53}	Amphetamine, barbiturates, benzodiazepines, cannabinoids, cocaine, opiates
Glutaraldehyde (T) ⁵²	Cocaine
Goldenseal tea (LS, T) ^{4,52,53}	Cannabinoids
Hydrogen peroxide; hydrogenc peroxidase (LS) ⁵⁵	Cannabinoids
Lemon juice (LS) ⁵³	Cannabinoids
Liquid hand soap (T) ^{4,52}	Barbiturates, benzodiazepines, cannabinoids
Nitrites ⁶⁶	Cannabinoids
Papain (meat tenderizer) (LS) ⁶⁶	Benzodiazepines, cannabinoids
Pyridinum chlorochromate (PCC) ⁵⁸	Amphetamine, barbiturates, benzodiazepines, cannabinoids, cocaine, opiates
Salt (sodium chloride) (LS, T) ^{4,52,55}	Amphetamine, barbiturates, benzodiazepines, cannabinoids, cocaine, opiates
Vinegar (T) ^{4,52}	Cannabinoids
Visine eye drops (LS, T) ^{4,52,53,56,57}	Benzodiazepines, cannabinoids

Source: PMID: 21507878






Substance	Detection Time in Urine ⁵	Substances Causing False-Positive Results (Generic/Brand Name)	Substances Causing False-Negative Results
Methadone	3-14 days	Chlorpromazine (LS) ⁶⁴ Clomipramine (LS) ⁶⁴ Diphenhydramine/Benadryl [®] (CR) ³⁹ Doxylamine (CR, LS) ⁴⁰ Quetiapine/Seroquel [®] (CR) ⁶⁷ Thioridazine (LS) ⁶⁴	
Opioids	2-3 days, up to 6 days for sustained-release formulations, up to 1 week for prolonged and heavy use	Verapamil/Calan®, Verelan® (LS) ⁴¹ Ciprofloxacin/Cipro® (LS) ⁴⁴ Clinafloxacin (LS) ⁴⁴ Doxylamine (CR, LS) ⁴⁰ Enoxacin (LS) ⁴⁴ Fluoroquinolones (CR, LS, T) ^{5,42-44,63,68} Gatifloxacin/Tequin® (CR, LS) ⁴⁴ Levofloxacin/Levaquin® (LS) ⁴⁴ Lomefloxacin/Maxaquin® (LS) ⁴⁴ Moxifloxacin/Avelox® (LS) ⁴⁴ Norfloxacin/Noroxin® (LS) ⁴⁴ Norfloxacin/Floxin® (LS) ⁴⁴ Ofloxacin/Floxin® (LS) ⁴⁴ Perazine (CR) ²⁴ Poppy seeds (foods) (CR, LS, T) ^{4,5,45-48} Quinine (T) ⁵ Ranitidine/Zantac® (LS) ⁴⁹ Rifampin/Rifadin® (CR, LS, T) ^{5,50,51,68,70} Sparfloxacin (LS) ⁴⁴ Tolmetin/Tolectin® (T) ¹⁸	Salicylates(T) ^{7,8,17}



Source: PMID: 21507878











Prescribed Drug 1		Hydrocodone
Prescribed Drug 2		SEE BELOW
Comment: Hydromorphone		
Creatinine	>=20.0 mg/dL	190.4
рН	4.5 - 9.0	5.8
Oxidant	<200 mcg/mL	NEGATIVE
Amephetamines, Screen	<500 ng/mL	NEGATIVE
medMATCH Amphetamines, Scn		CONSISTENT
Barbiturates	<300 ng/mL	NEGATIVE
medMATCH Barbiturates		CONSISTENT
Benzodiazepines	<100 ng/mL	POSITIVE !
Cocaine Metabolite	<150 ng/mL	NEGATIVE
medMATCH Cocaine Metab		CONSISTENT
Methadone, Screen	<100 ng/mL	NEGATIVE
medMATCH Methadone, Scn		CONSISTENT
Opiates	<100 ng/mL	POSITIVE !
Codeine	<50 ng/mL	NEGATIVE
medMATCH Codeine		CONSISTENT
Morphine	<50 ng/mL	NEGATIVE
medMATCH Morphine		CONSISTENT
Hydrocodone	<50 ng/mL	55 ^
medMATCH Hydrocodone		CONSISTENT
Hydromorphone	<50 ng/mL	85 ^
medMATCH Hydromorphone		CONSISTENT
Comment: Hydromorphone is a metabout well as a prescribed drug.	lite of hydrocodone as	
Oxycodone, Screen	<100 ng/mL	POSITIVE !
Oxycodone, Confirm	<50 ng/mL	430 ^
medMATCH Oxycodone, Confirm		INCONSISTENT !
Oxymorphone	<50 ng/mL	510 ^
medMATCH Oxymorphone		INCONSISTENT !

Norhydrocodone	<50 ng/mL	270 ^
Norhydrocodone (medMATCH) Comment: Norhydrocodone is a met	tabolite of Hydrocodone	CONSISTENT
Noroxycodone	<50 ng/mL	2100 ^
Noroxycodone (medMATCH)		INCONSISTENT !

Comment: Noroxycodone is a metabolite of Oxycodone.

DRUGS OF ABUSE SCN		
Amphetamine	Negative	
Barbiturates	Negative	
Benzodiazepines	Positive	
COCAINE METABOLITES	Negative	
Methadone	Negative	
Opiates	Positive	
Oxycodone	Negative	
PCP	Negative	
THC	Negative	
Tricyclics	Negative	
DOACOM Comments		





Concluding Thoughts

- Important to understand science and correlate to available testing at institution
- Do not jump to conclusions with inconsistent results, consult experts
- No consensus guidelines on frequency of testing – but agreed upon that urine drug testing is a component of responsible opioid prescribing



Urine Test Complete Kit Strip Warmer & Empty Bottle Great for Concealing Hidden Pocket Leg Strap Stash - Pocket Speak Easy Pick Pocket Proof

Brand: A H

**** 161 ratings | 9 answered questions

Price: \$44.99 (\$44.99 / Count)

Get \$50 off instantly: Pay \$0.00 \$44.99 upon approval for the Amazon Rewards Visa Card. No annual fee.

- Height: 4.25" Width: 2.25" Depth: 1.15" Capacity: 3 oz
- Easy temperature strips. Measures from 90 to 100 degrees Fahrenheit and 32 to 38 degrees Centigrade.
- . (1) Plastic HDPE Bottle. High-density and impact resistant material
- . (2) Hand Warmer 90 Degree Rotating Cape And One Sealing Tight cap





